SINCE 1988

35th ANNIVERSARY

Manufacturer • Buying Agent • Inspection Agent

Home Resource Ind. Co., Ltd.

Taipei Headquarter:
4F, No. 7, Dexing W. Rd., Shilin Dist., Taipei City , Taiwan
Zhongshan Factory: Area I,3rd floor, no.28 Yuquan road, Torch development Zone, Zhongshan City, Guangdong, China
Ningbo Factory: Qiaotouhu Industrial Park, Ninghai, Ningbo, China
Tel: 886-2-2809-1212 (Rep. 12 Lines) Fax: 886-2-2808-1565
E-mail: hr@homeresource.com.tw http://www.homeresource.com.tw

HOME RESOURCE

BSCI DBID: 18865

ISO 9001

35th Anniversary
Challenge to Next 35 Years

DESIGN AWARD 2021

reddot design award

2023-2024

Cordless Lighting & Exterior Garden Light

Since 1988

HOME RESOURCE

Home Resource Ind. Co., Ltd.

Home Resource LEDS The World

To exceed customers' expectations



OUR VISION

To Illuminate Every Part of the World

OUR MISSION

To be the leading lighting company in Taiwan and China
To be the best at what customers value most
To exceed customers expectation
Treat staffs & customers & substructures as partnership
Enjoy work as part of life
To be a respected company

OUR CORE COMPETENCE


- Integrity
- Passion
- Innovation
- Efficiency
- Teamwork
- Profession
- Responsibility

WHO

WE ARE

Home Resource has 35 years in exterior & interior lights market.We are uniquely positioned to offer the right solutions and value for your LED lighting requirements with our holistic approach and vertically integrated infrastructure.







Taipei



Zhongshan



Ningbo

OUR

HISTORY TIMELINE

2021 **Winner of the iF Design Award, Germany**

2017 Received The Best Innovation Award of Taiwan Lighting Association

2015 Received National Excellent Lighting Quality Award in Japan

2013 Awarded the BSCI certification

2010
- Established New Factory in Zhongshan (Guangdong)
- Established the Research & Development Center

2008
- **Red Dot Design Award, Germany**
- Good Design Product, Taiwan

2007 Awarded as one of the best "ISO 9001:2000" companies listed as members of KEMA organization

2006 Acquired 26,000 square meters land in Zhongshan City, Guangdong

2005 Received National Quality Award in Taiwan

2004 President Sam Chen was being the Chairman of Taiwan Lighting Association (2004-2007)

2003
- Awarded from TUVPS as one of the TOP 5 Golden Clients in Asia
- Founded the scholarships in Longung Elementary School in Taichung City, Taiwan

1999
- Established Home Resource in Qinxi, Dongguan (Guangdong)
- Awarded the ISO 9001:2000 certification

1998 Established Charitable Memorial Foundation of caring for the elderly

1997 Established Home Resource Golf Team

1996 Received Excellent Quality Award, Spain

1995 HR being the 1st Taiwanese company in receipt of SEMKO, NEMKO, and DEMKO Certificates

1992 Established Home Resource in Shanghai/Ningbo

1988 Established Home Resource Ind. Co., Ltd. in Taiwan

INDEX

CORDLESS

- Cordless Portable LED Lamp----------01~16

SMART

- Smart Wall Light/Spotlight----------17~23

EXTERIOR

- Garden Wall Light/ Garden Path Light ----------24~45
- Solar Light ----------46~55

CORDLESS

Rechargeable LED Mood Light

CORDLESS




Material: PS+ PP+Iron
Lamp: 0.5W(8pcs × 0.06W SMD2835 3000K LED)
Battery: 1pc × 3.7V 1500mAH 18650 Li Battery
Battery Charging Time: 4-6 Hours
Battery Working Time: 4-48 Hours
With 1.2m DC-USB Cable




YOU CAN CHOOSE...

◆3 Different Finish:
Anti Copper / Satin Brass / Satin Nickel
◆4 Different Types:
ETLED-53B / C / E / F






● ETLED-53B (Armin)



● ETLED-53C (Cade)



● ETLED-53E (Cade)



● ETLED-53F (Cade)

Patented

AA

TOUCH

HOT SALE

LED Battery Operated Mood Light






Material: ABS + PP
Lamp: 12pcs × 0.7W SMD2835 3000K LED)
Battery: 3pcs 1.5V AA Dry Cell Batteries (Excl.)
Battery Working Time: >8H

YOU CAN CHOOSE...

Customize Color:
◆Base: White / Black
◆Diffuser: White / Dark Green / Light Pink
Dark Red / Light Yellow





•ETLED-201A (Eileen)



With Touch On/Off
Switch on the Base

HOW TO USE

Detachable Wireless Charging Night Light



Material: ABS + PP
Lamp: 0.2W × 12pcs SMD2835 LED 3000K)
Battery: 1pc 200mAh Rechargeable Li-battery
With 1.2m Micro USB Cable



•NLED-040

How to Use

With On/Off Touch Switch
Long Press for Dimming

10W QC2.0
Wireless Charger



High Lumen COB
LED Mushroom Lamp



Power: 2W
Color: Injected Black / White / Blue / Green / Orange / Pink
Material: ABS Top & Body + PS Diffuser
Lamp: 6000K LED
Lumen: 200LM



Touch On/Off Switch

How to Use

You can Choose...

◆Color:
Injected Black / White / Blue / Green / Orange / Pink



● ETLED-18BPTS

Rechargeable Dimmable IP54

NEW

Touch Dimming LED Table Light

CORDLESS



Material: Iron + Alum
Lamp: 6PCS SMD2835 3000K
TYPE C charging port 2PCS 3.7V 2000MAH Battery
USB charging cable length 102CM
(including both ends plug)
charging red light, green light after full touch
ON/OFF switch, long press endless dimming
Color: Black Marble base with Rose gold line
+Rose Gold Pole & lampshade





● ETLED-575



● ETLED-574

Touch Control | 3-Way Dimmable | 1 USB Charging Port | 5V E14 Bulb

NEW

Cordless Dimmable Table Lamp



Material: Steel+PP
Light bulb: E14 LED filament bulb 5V 2W 3000K
Power: 3.7V 1500mAH 18650
Function: dimming function 20%-50%-100%
Charging time: 4 hours
Working hours: 7-32 hours
Color: Gold/Black
With 1.5M USB cable



● ETLED-615



● ETLED-613

Touch Dimming Cordless LED Table Lamp

CORDLESS



Lamp: LED 3W
Battery capacity: 2x 2000mA
Kelvin: 3000K
With 1M USB cable
Touch dimmer



● ETLED-621



● ETLED-622



● ETLED-623

Touch Control | Battery Power | Stepless Dimming | IP44

NEW

In/Outdoor Rechargeabls Table Lamp



Material: Iron + fabric
Wattage: 3W
Voltage: DC 5V
Luminous flux: max. 200LM
Power supply 1 x 2600 mAh 18650 lithium-ion, 3.7 V
3 Step dimming(15%-50%-100%)
Color Temperature: 2700K or 3000K or 4000K or 6500K
Ra >= 80
Charging time: 4 hours
With touch switch
Life time (h): 25000H
IP44



● ETLED-55G




Rechargeable Dimmable IP54

HOT SALE

LED Table Lamp Mushroom

CORDLESS







● ETLED-556

Material: ABS
Power: 3W Voltage: DC5V
Battery: lithium battery 2200ma
Lumen: 250lm (max)
Working time: 4 hr - 12 hrs
Product size: 160 * 280mm
Color temp.: 3000K
Switch type: touch switch ,dimming
(100% - 50% - 10%)
IP54



● ETLED-556B

Shade 3 Steps Dimming
Input Voltage: DC5V
Color: 3000K
Power: 1.5W
IP20
Battery Capacity: 1200mA
50cm USB Cable, Type C Charging Port




Touch Control | Battery Power | Stepless Dimming | IP54

NEW

Indoor/Outdoor LED Rechargeable Table Lamp

CORDLESS



Material: ABS
Product power: 3W
Input voltage: DC5V
CCT: 2700K/3000K
Lumen: 250lm (max)
Switch type: touch switch,
3-gear dimming (100% - 50% - 10%)
Battery type: lithium battery 2000mA
With USB charging cable
Type-C charging port
Without adaptor
Color: White
IP54



● ELED-571



Cordless & Rechargeable
LED Lamp




CORDLESS



Material: Iron spray paint
Power: 3W
Voltage: 5V
Color temperature: Three-tone light
Light source: 2835 LED*16
Battery Capacity: 18650 lithium
battery 1800 mAh
Battery life: Charge for 5 hours
use for 8-10 hours
type-c usb charging cable






● ETLED-577

Rechargeable Dimmbale IP54

HOT SALE

Lifestyle & Fashion
Outdoor Portable







•ETLED-55
- Material: Aluminum + PMMA
- Lamp: 3.5W(2700-3000K)
- Battery Capacity: 3600mAh
- Adapter: 5V/1A
- USB cable: 1M with Type C Port
- Working Hours: 3000K 4-6 Hrs
- Lumen: 270LM
- Color: White/Black
- Waterproof: IP54





•ETLED-55B
- Material: Iron + PMMA
- Lamp: 5W(RGB + 3000K)
- Battery Capacity: 4000mAh
- Adapter: 5V/1A
- USB cable: 1M with Micro USB
- Working Hours: 3000K 4-6Hrs/ RGB 10-12 Hrs
- Lumen: 170LM
- Color: White/Black
- Waterproof: IP54





•ETLED-55C
- Material: PC + Iron
- Color Temp: 3000K
- Lumen: max 170LM
- Battery capacity: 4000mAh, 3.7V
- Input Voltage: 5V⎓1A
- LED QTY: 26PCS (18x warm white LED and 8x RGB LED)
- Color: Black
- Waterproof: IP44





•ETLED-553
- Material: Aluminum + PMMA
- Lamp: 6W(2700K)
- Battery Capacity: 4000mAh
- Adapter: 5V/1A
- USB cable: 1M with Micro USB
- Working Hours: 10-12Hrs
- Lumen: 240LM
- Color: Gold/Rose Gold/Black
- Waterproof: IP54



Cordless Portable LED Table Lamp



Material: Aluminium + iron
Light Source: LED
Power: 2W
CCT: 3000K
Battery capacity: 2000mAh
With USB charging cable
Color: Black/Brown/Rust Brown/White



● ETLED-S55



Touch Control | Dimmbale | USB Charging | LED Lights | IP54 | HOT SALE

Vintage Outdoor/Indoor Height Adjustable Lamp

CORDLESS



Material: Aluminum + PMMA
Watts: 3.5W
Voltage: 5V
Lumen: 270LM
LED temp.: 2700-3000K
Consumption: 3.5W
Power Supply 4000mAh battery
GS Adapter: 5V 1A
USB cable: 2M
Type-C charging port/Stepless Dimming/
With Logo printing/With 2pcs cable clip
Color: Black/White
Waterproof index: IP54

Hight Adjustable



● FLKLED-55

Compact & Flexible




Patented | Dimmbale | Cordless | USB Charging | IP44 | HOT SALE

Lifestyle & Fun 4-In-1 Outdoor Novelty Lamp



Material: ABS + PC + Iron
Lamp: 4.5W(0.2W x 50 pcs SMD2835 LED 4000K)
4-Way Push Switch: 100%-50%-10%-OFF
& Flash Mode(Long Press)
Lumen: 25Lm(10%)-200Lm(100%)
Working Hours: 10-60 hrs
(Depends On Brightness Level)
Function: Press Button On Top
Color: Black/White/Satin Nickel
IP Rating: IP44
With 1.5M Type C Cable+5V1A Adaptor






4-In-1 Lamp Set

Knockdown Design







Outdoor Portable Cordless Lantern

Rechargeable Series

•ETLED-557
- ABS (BLACK) + Opal PC + Li-Lon Battery + Mirco USB wire*1M
- Battery: 4*1200mAh lithium battery
- Charge Time: 8-9 hours (Mirco USB 5V 1A)

•ETLED-557B
- ABS (BLACK) + Opal PC + Li-Lon Battery + Mirco USB wire*1M
- Battery: 4*1200mAh lithium battery
- Charge time: 8-9 hours (Mirco USB 5V 1A)





Solar Series

•SOL-557
- ABS (BLACK) + Opal PC + Li-Lon Battery + Mirco USB wire*1M
- Battery: 4*1200mAh lithium battery
- Charge time: 8-9 hours (Mirco USB 5V 1A)

•SOL-557B
- ABS (BLACK) + Opal PC + Li-Lon Battery + Mirco C USB wire*1M
- Battery: 4*1200mAh lithium battery
- Charge time: 8-9 hours (Mirco USB 5V 1A)








Numerous advantages:
- Long battery life(4 x 1200mAh Lithium Battery)
- Very good light output(Max 330 Lumen)
- Light weight(ABS + PC)
- Safe around kids(LEDs generate no heat)
- Can work in wet location (IP44)

CORDLESS





SMART

Smart

Outdoor Plastic Wall Lamp

Material: ABS+PMMA
Wattage: 10W
Lumens: 750LM
CCT adjustable(2700K-6500K) + dimming
Compatible with Amazon Alex/Google Assistant
IP65





● ELED-194PW



● ELED-195PW



● ELED-196PW



● ELED-197PW

Smart Bluetooth
Wall Light



Material: Aluminium + Glass
Voltage: 220-240V
CCT: 3000-6500K+RGB dimmable
Tuya Wi-fi/bluetooth APP control
Color: Black
IP65





● ELED-239-2W
Built-in LED 6W





● ELED-413-2W
Built-in LED 8W
Lumen: 420LM

Smart
Solar Spotlight

Material: ABS + PC
Input Voltage: 5.5V
Power: 1W
Luminous Flux: 50lm
Beam Angle: 100°
Color Temp.: RGB+CCT
With 3.7V 1200mAh 18650 Lithium ion battery
Product size: 145*106*360mm
Color: Silver
IP65

SMART





● SOL-804W

Smart
Solar Spotlight



Material: ABS+PC+Silicagel
Voltage: 5V
Wattage: Charging: 5W/Light up:1.5W
Power Source: 5V1A Mobile Phone
Beam Angle: 360°
Dimming: 1%-100%
Working Temperature: 0-40
Working Humidity: 0-95%
Product size:φ159.5*270mm
Color: Black
IP65

SMART

Chargers
Charging Port: USB(Type-C)
Battery (mAh): 1200
Solar Panel (v-ma): 5
Charging Time (hrs): USB: 1.5Hrs / Solar Power: 15Hrs
Working Time (hrs): 4Hrs
Motion Detection Type: PIR
Motion Detection Angle: 120°
Motion Detection Distance: 8M
Luminous Flux (lm): 70Lm
Led Chip Source: 2835CW+2835WW+3535RGB
Color Temp.: 2700K-6500K+RGB



● SOL-805W

Solar Powered
Landscape Spotlight 1to3



Color: RGBW
bluetooth APP contain 1 pcs Solar panel contain
solar powered
2500mA x 2 battery
3 PCS rgbw lamp contain
IP65



● SOL-806W

Voice Control | Remote Control | Time Schedule | Music Mode | Adjustable Brightness | Non-volatile Memory

Smart Baby Night Light



SMART

Works With Amazon Alexa

Works With Google Assistant

1. Built-in Led clock,
2. Music built-in to help sleep
3. Battery detachable to let you move this product anywhere
4. RGBW color adjustable
5. Wifi network: 802.11 b/g/n, 2.4GHz only
6. Support remote control by Gosund App
7. Support touch control to turn on/off light and adjust brightness and color
8. Support schedule,timing and device sharing
9. Support Alexa, Google Home









Mulit-Color

● ETLED-054W

EXTERIOR

Garden Wall Light

Garden Path Light

GU10 CE RoHS IP65

HOT SALE

Wall Scones GU10 Bulb




EXTERIOR

EL-464

Material: Die-cast Aluminium body
+ Clear glass diffuser
Lamp: GU10 MAX.35W(bulb not included)
Voltage: 220-240V
Color: Black
IP65






EL-464B

Material: Die-cast Aluminium body
+ Clear glass diffuser
Lamp: GU10 MAX.35W(bulb not included)
Voltage: 220-240V
Color: Black
IP65






EL-464-2

Material: Die-cast Aluminium body
+ Clear glass diffuser
Lamp: 2 x GU10 MAX.35W(bulb not included)
Voltage: 220-240V
Color: Black
IP65





EL-464B-2

Material: Die-cast Aluminium body
+ Clear glass diffuser
Lamp: 2 x GU10 MAX.35W(bulb not included)
Voltage: 220-240V
Color: Black
IP65





Wall Light

Plastic Scones Gu10 Bulb

HOT SALE



Material: ABS + PC Body + Clear PC Diffuser
Voltage: 220-240V 50-60Hz
Color: Black/Wood/Marble
IP44



Black Wood Marble

EL-472

Lamp: GU10 Max.7W





EL-472-2


Lamp: 2 x GU10 Max.7W





EL-473

Lamp: GU10 Max.7W





EL-473-2

Lamp: 2 x GU10 Max.7W





EXTERIOR

IP44

NEW

Exterior
E27 Wall Light



Material: Aluminium+PC
230V E27 Max.40W Bulb exc.
Color: black
IP44


EXTERIOR


















- EL-308A
- EL-308B
- EL-308C
- EL-308D

IP44

NEW


Exterior

E27 Wall Light



EXTERIOR

Material: Aluminium+PC
230V E27 Max.60W Bulb exc.
Product size: 268*230*170mm
Color: black
IP44



● EL-309



Hardwired Design | 110° | SENSOR | IP44 | HOT SALE


Motion Sensor

E27 Wall Mounted 1, 2, 3 Heads Light



Single Design






●EL-1140A
Material: Aluminum-Die Cast + PC
Lamp: E27 max. 1 x 60W Bulb(Excl.)
Finish: Black

Single Design-With Sensor






●EL-1140AS
Material: Aluminum-Die Cast + PC
Lamp: E27 max. 1 x 60W Bulb(Excl.)
Finish: Black

Double Design




●EL-1140A-2
Material: Aluminum-Die Cast + PC
Lamp: E27 max. 2 x 60W Bulb(Excl.)
Finish: Black



Triple Design



●EL-1140A-3
Material: Aluminum-Die Cast + PC
Lamp: E27 max. 3 x 60W Bulb(Excl.)
Finish: Black



IP44

NEW


Exterior

E27 Wall Light



Material: Aluminium+PC
230V E27 Max.60W Bulb exc.
Product size: 253*225*218mm
Color: black
IP44





● EL-310



● GPL-310

EXTERIOR

IP44

NEW

Exterior
E27 Wall Light



Material: Aluminium+PC
230V E27 Max.2*28W Bulb exc.
Product size: 118*85*330mm
Color: gray
IP44

EXTERIOR



● EL-311



● EL-311-2



● EL-311S



● EL-311S-2



● GPL-311



● GPL-311S




IP44

NEW


Rotational Exterior GU10 Wall Light







● EL-312



● GPL-312


Material: Aluminium+Clear glass diffuser
230V GU10 Max.35W Bulb exc.
Color: black
IP44

EXTERIOR

Outdoor
E27 Wall/Path Light







● GPL-1138






● EL-1138

Outdoor Lantern

E27 Series-cane

HOT SALE




Material: Aluminum Body + Glass Diffuser
Bulb Adaptable: E27 60W Max
Voltage: 110-240V 50/60Hz


EXTERIOR











● GPL-1140A

13 Al Durable Aluminum

3000K 3000K Warm White Light

IP54

NEW

Outdoor LED Modern Wall Light



Material: aluminium+PP
100-240V
6W SMD(DOB solution)
Max 480LM
CRI>80
Color temp.: 3000K
Color: gray
IP54






● ELED-253





● ELED-254





● ELED-255





● ELED-256

13 Al Durable Aluminum

3000K 3000K Warm White Light

IP54

NEW

Outdoor LED Modern Wall Light




EXTERIOR

Material: aluminium+PC
100-240V
10W SMD(DOB solution)
Max 800LM
CRI>80
Color temp.:3000K
Beam angle 120°
Color: gray
IP54



● ELED-251






● ELED-252



Exterior LED Wall Light





Material: ABS + PC Body + Opaline PC Diffuser
Lamp: LED 6W
Voltage: 220-240V 50-60Hz
IP65

EXTERIOR





● ELED-127A





● ELED-127B





● ELED-127C

IP54


NEW

LED Exterior Wall Light



EXTERIOR

Main material: Die-cast Aluminium + PC diffuser
Light source: 16pcs 2835 LED, 6W
Recommended CCT: 3000K
Light Output(Lumens) : 350
IP54



● ELED-531





IP54

NEW

LED Exterior Wall Light



EXTERIOR





● ELED-533
230V 9W LED





● ELED-533-2
230V 2x9W LED

LED Exterior
Wall/Path Light



EXTERIOR

Material: Aluminium + PC
Lamp: 6.5W SMD3030 LED 365LM
Input Voltage: 220V-240V
4000K
Color:black
IP54



● ELED-373



● GPLED-373


Rotational LED Wall Light



EXTERIOR

Material: Aluminum body + Opaline PP Diffuser
Lamp: LED Max.7W
Input Voltage: 220-240V 50-60Hz
Color: Black
IP54





● ELED-662



● GPLED-662



IP44

NEW

LED Exterior Wall Light



Material: Die Cast Aluminum + Glass
LED 6W 500LM
LED Module 550LM
Ra >80
Color: black
IP44

EXTERIOR


















● GPLED-536S ● GPLED-536 ● ELED-536 ● ELED-536S

IP44


NEW

LED
Exterior Wall Light





● ELED-537



● GPLED-537



EXTERIOR


IP54


NEW

LED Exterior Wall Light




Material: die-cast Aluminium+PC
Input voltage 100-240V 50-60Hz
Light source: 12pcs 2835 LED, 5W
LED brand Everlight 2835 SMD
Power: Isolated driver
Recommended CCT: 3000K
Light Output(Lumens) : 155LM
3 different color finish for choice :
die-cast aluminium, polish and wooden
Color: gray
IP54





● ELED-529



● GPLED-529



EXTERIOR

IP54

NEW


LED Exterior Wall Light




Material: Die-cast Aluminium + PC diffuser
Light source: 24pcs 2835 LED, 10W
Recommended CCT: 3000K
Light Output(Lumens) : 350
3 different color finish for choice :
die-cast aluminium, polish and wooden
IP54

EXTERIOR





● ELED-530



● GPLED-530



EXTERIOR

Solar Light

Solar

NEW

2 Modes in 1 Wall Light



EXTERIOR



Glass



● SOL-478

Material: Alum.+glass
With 0.1W RGB 2835 3000K LED
LM: 10lm±10%
CRI: >80
Solar charging: 2V,0.36W
Battery: 1.2V NI-MH AA 1000mAh
Charging time: 5-6H
Working time: 15-16H
Color: black
IP44

Solar Powered | Motion Activated | Easy Installation | IP44 | NEW

Solar With Motion Sensor Wall Light



EXTERIOR

Solar panel 5.5V 120mA
1 pcs white LED
1x3.7V 18650 1200mAh lithium Rechargeable Battery
Material: plastic
Working time: 6-8hours
color: black/white
Three-step function
IP44



● SOL-479





Solar
LED Wall Light

HOT SALE

EXTERIOR



Material: PP + AS
Solar panel 2V 15mA*4 Amorphous Silicon
With 1pc Warm white 3000K LED
LED 1*AA 200mAh NI-MH battery
Working time: 8-10H
Product size: 16.75*16.75*30cm
Color: Black
IP44



● SOL-738

Solar Powered

IP44

HOT SALE

Solar
LED Wall Light








EXTERIOR

Material: ABS + PC
Lamp: 6pcs LED warm white 2lm
1 x 1.2V 600mAh NI-MH Rechargeable Battery
Solar panel 1 x 2V 130mA polysilicon
Color: Black
IP44



● SOL-741




Outdoor Solar

NEW


Motion Sensor Wall Light






● SOL-313S





● SOL-313GPS

Material: plastic
LED 3W 300lm
LED Module 400lm
Incl 3.7V/2000mAH 18650 Battery
With motion sensor
Three-step function:
5%light on when people approached,
100% light on for 40s.
5% light on all the time
100% light off when people approached,
100% light on for 40s
Color: black
IP44



Solar

LED Rechargeable Spike Light



EXTERIOR

Material: plastic
Solar panel: 1x2V 70mA
Color changing LED
With 1x1.2V AA 600mAh NI- MH
Rechargeable Battery
Working time: 6-8hours
Color: black



● SOL-406



Solar
LED Garden Spot Light



EXTERIOR

● SOL-450-S2

2PK Solar Spot Light
Material: ABS
Solar Panel: 6V/2.5W
Light Color: WARM white
Battery: 3.7V ,2200MA 18650
LED Qty: 10 pc per light
Temperature: 3000-3500K
Working Time: 6-9 hours
Protection: IP44
Function: light up Automaticlly at night



● SOL-450-S4

4PK Solar Spot Light
Material: ABS
Solar Panel: 6V/2.5W
Light Color: WARM white
Battery: 3.7V ,2200MA 18650
LED Qty: 10 pc per light
Temperature: 3000-3500K
Working Time: 6-9 hours
Protection: IP44
Function: light up Automaticlly at night




● SOL-450-S3

3PK Solar Spot Light
Material: ABS
Solar Panel: 6V/2.5W
Light Color: WARM white
Battery: 3.7V, 2200MA 18650
LED Qty: 10 pc per light
Temperature: 3000-3500K
Working Time: 6-9 hours
Protection: IP44
Function: light up Automaticlly at night



● SOL-450-S5

5PK Solar Spot Light
Material: ABS
Solar Panel: 6V/2.5W
Light Color: WARM white
Battery: 3.7V ,2200MA 18650
LED Qty: 10 pc per light
Temperature: 3000-3500K
Working Time: 6-9 hours
Protection: IP44
Function: light up Automaticlly at night



Solar

Switch RGB Table Light

Material: ABS body + metal pole + metal base
Solar panel: 5.5V/0.72W multicrystal solar panel
Lighting Function: RGBW; bootom lighting
LED Resource: 5pcs SMD5050 RGB
+ 15pcs SMD2835 warm white
With Type-C charging port on the bottom of lamp
and with 1M Type-C + USB cable
With 1800mAh 18650 rechargeable lithium battery
Product size: 11.5x36cm
IP44







● SOL-560

EXTERIOR

NEW

Solar
Rechargeable & Power
Bank Camping String Lights





- KLED-402

Materials: Plastic
LED type: 2835
Number of RGB beads: 33pcs
Bead color: 4040 colorful RGB
Power: 2.5W
CCT: 3000K/4000K/5000K/5700K/6500K
Luminous flux: 500lm
Input Voltage (50/60Hz): 5V2A
Battery capacity: 2400mah
CRI: 80Ra
Power supply mode: solar/Type-C
Product size:133*50mm
IP65