


Outdoor Light Collection

HOME RESOURCE


http://www.homeresource.com.tw




Shiner

19301

Shiner adopts simple Nordic design style.This lamp is divided into the die casting aluminium of spray model and the lampshade of milky white two parts, die casting hale line, collocation is fruity plastic lampshade bring out the best in each other.When night falls and the soft light shines down, everything is so comfortable and peaceful.





LED 13W

TEMPERATURE 2700K — 6500K

MAX. 1200 LUMENS

IP65

	Lamp	Lumen	A	B	C
GL19301	LED 13W	1200LM	230	130	96


Thirsk
19302/19303

Thirsk

19302/19303

Heartful efforts achieve brilliance. The Light Thirsk is inspired from an ancient long-shaped lantern with partially stepped-shape. It can create a contrastingly special atmosphere by illuminating through lens. Lights can be emitted from single or both sides depending on customers choices. Fixing the light to walls presents a sense of decency and modesty. The dimly yellow light provides customers with beautiful enjoyment as well as a cozy home in a peaceful night.





GL19302



GL19303







	Lamp	Lumen	A	B	C
GL19302	LED 7W	600LM	120	77	160
GL19303	LED 13W	1200LM	120	76	240

LED 13W

TEMPERATURE 2700K — 6500K

MAX. 1200 LUMENS

IP65



York
19304

York

19304

York use OSRAM LED and CE driver, output watts 13W and 11W. About materials we adopt polished finish die-casting aluminum, PC diffuser and tempered glass. We use anti-corrosion, anti-UV powder to printing different color, black, dark gray and silver gray for you choose.

York have smooth line, design simple and easy. It have two different lighting shadow. You could rotate ceselli to change outface looking, from up to down. That could meet the needs of different customers for environmental lighting.






GL19304-A



GL19304-B



LED 13W

TEMPERATURE 2700K — 6500K

MAX. 1200 LUMENS

IP65

	Lamp	Lumen	A	B	C
GL19304-A	LED 13W	1200LM	220	130	157
GL19304-B	LED 11W	1100LM	220	130	157

Wilton

1960 Series





Wilton

1960 Series

Unique extraordinary, create extraordinary. Series of lights.The use of large transparent plastic lampshade, high through lampshade can better play a bright. The light comes out from the top of the lamp with a built-in silver reflector reflecting off the reflector.Like a lighted torch, it lights up the world and transmits civilization.







	Lamp	Lumen	A	B	C
GL19605	LED 13W	1200LM	600	Φ175	175
GL19606	LED 13W	1200LM	800	Φ175	175
GL19607	LED 13W	1200LM	1000	Φ175	175
GL19608	LED 13W	1200LM	406	Φ175	224

LED 13W

TEMPERATURE 2700K — 6500K

MAX. 1200 LUMENS

IP65


Romsey
1970 Series


Romsey


1970 Series

Create grade, lead the quality. Romsey lighting, unique new Chinese style design style.On either side of the road, like small lanterns, light up the dark road.This lamp USES IP65 waterproof design, can effectively achieve waterproof effect.









LED 13W

TEMPERATURE 2700K — 6500K

MAX. 1200 LUMENS

IP65

	Lamp	Lumen	A	B	C
GL19701	LED 13W	1200LM	1000	175	276
GL19702	LED 13W	1200LM	1400	175	276
GL19703	LED 13W	1200LM	301	175	254

Steep

1990 Series



Steep

1990 Series

We build a distinctive life for you with earnest creation. The Light Steep includes wall lamp and lawn lamp. The lampshades are transparent and are colored in gray, which perfectly blended in the materials. The lights are succinct, designed in strong lines and particularly beautiful. The Light 19504S is inductive. Installing it at your front door, the warm light can blend with the path, and bring fun and coziness to your life.


LED 7W


TEMPERATURE 2700K — 6500K


MAX. 650 LUMENS


IP65














	Lamp	Lumen	A	B	C
GL19901	LED 7W	650LM	600	90	140
GL19902	LED 7W	650LM	800	90	140
GL19903	LED 7W	650LM	1000	90	140
GL19904	LED 7W	650LM	200	120	120

Torbay


18204

Unique and extraordinary. The Torbay lamp is composed of two parts. The lamp body is made of high-quality die-cast aluminum. The wick is enveloped in a transparent lampshade. It is bright and transparent. There is also a series of induction lamps. Life is extraordinary. At the moment of light induction, light and shadow rush to you without reservation, let everything be with the light.





GL18204



LED 13W

TEMPERATURE 2700K — 6500K

MAX. 1200 LUMENS

IP65

	Lamp	Lumen	A	B	C
GL18204	LED 13W	1200LM	126	160	195

Chard


18205



Make the world brighter. Chard lamp, ultra-thin luminous surface, white lampshade, built-in LED chip, die-cast aluminum baking paint bracket. Go simple, create a light life with simplicity, and light up the colorful world; the light of darkness easily creates a warm feeling. We use brand-new light source technology. The light is soft and not dazzling, which reduces the harm of light pollution to eyesight. We insist on designing good lamps just to protect your health.



GL18205



LED 13W

TEMPERATURE 2700K — 6500K

MAX. 1200 LUMENS

IP65

	Lamp	Lumen	A	B	C
GL18205	LED 13W	1200LM	160	180	202






Yeovil

18207

Demanding to achieve good quality, attention to detail is just to create a good lamp. Yeovil lamps use elegant curve expressions. The rear die-cast aluminum lamp holder is folded to the front of the lamp, which is simple yet individual, and reshapes the geometric charm of the lamp. The soft and warm light enhances the quality of your life and awakens your romantic feelings. This is a lamp full of visual experience, graceful light and shadow, to satisfy your taste and feelings.



LED 13W

TEMPERATURE 2700K — 6500K

MAX. 1200 LUMENS

IP65

	Lamp	Lumen	A	B	C
GL18207	LED 13W	1200LM	265	139	105

ETL LISTED C US


Wells

18208

Soft luster, bright and radiant. The Wells lamp has a three-dimensional geometric design with smooth and natural curves. The lights pour out from the upper and lower parts to create a three-dimensional light effect. This lamp is aesthetically crafted and technically sophisticated. It can not only control classics, but also match with simplicity. It does not pick the installation position. No matter where it is installed, it can bring you a better life experience and make your life full of ritual. The beam of light is not only to light up the space, but also to warm your home.







LED 11 W

TEMPERATURE 2700K — 6500K

MAX. 1100 LUMENS

IP65

	Lamp	Lumen	A	B	C
GL18208	LED 11W	1000LM	211	61	150

Burton


18209



Burton use OSRAM LED and CE driver, output watts 11W. About materials we use polished finish die-casting aluminum and tempered glass. It could change lighting shadow from wide to narrow. We use anti-corrosion, anti-UV powder to printing different color,black, dark gray and silver gray for you choose.

Burton use the aluminum alloy material, design simple and easy, streamlined appearance, was inspired by simple geometric shapes and organic form, simple and romantic, stereo sense is metallic ability to adapt to the modern household soft outfit style, up and down two beams of light design, reflect urban style restoring ancient ways and customs, as night falls, warm color lighting foil a villa garden better meet user demand for mood lighting





LED 11 W

TEMPERATURE 2700K — 6500K

MAX. 1100 LUMENS

IP65

	Lamp	Lumen	A	B	C
GL18209	LED 11W	1000LM	130	55	260



Biglis
1840 Series

Biglis

1840 Series

Quality reflects light. Biglis lamps are divided into wall lamps and lawn lamps, and lawn lamps have different heights for customers to choose. Biglis is a long column-shaped lamp body, round lamp surface, the light from top to bottom, not only for lighting, but also your yard decoration. The wall lamp, the lampshade is facing inward, and the wall reflects, the light is bright and soft, creating a warm and interesting home environment for you.





LED 13W

TEMPERATURE 2700K — 6500K

MAX. 1200 LUMENS

IP65


	Lamp	Lumen	A	B	C
GL18401	LED 13W	1200LM	195	140	300
GL18402	LED 13W	1200LM	195	140	500
GL18403	LED 13W	1200LM	195	140	800
GL18404	LED 13W	1200LM	187	140	165


Sway

17101

Creative lighting comes from natural light. Sway lamp, ultra-thin rectangular appearance, light on both sides, wide field of view up and down, enhance lighting intensity, expand lighting range, sensor at the bottom, artistic design, bright light when people come. The unique modern beauty and stylish personality make the home atmosphere no longer plain.







LED 13W

TEMPERATURE 2700K — 6500K

MAX. 1200 LUMENS

IP65


	Lamp	Lumen	A	B	C
GL17101	LED 13W	1200LM	232	150	130


Dayton

17103

Glow the era and illuminate the future. Dayton lamps, rectangular frame, minimalist design, provide strong support for the entire lamp frame, using module cutting technology, to achieve soft design of the corner lines, light and shadow are scattered around in an orderly manner, very beautiful. And this lamp expands the lighting range, makes the light project in all directions, uses flicker-free power, the light is more natural, and your family is comfortable and at ease.







LED 13W

TEMPERATURE 2700K — 6500K

MAX. 1200 LUMENS

IP65


	Lamp	Lumen	A	B	C
GL17103	LED 13W	1200LM	226	130	79




Deal

17104

Deal, ivory lamp shade and die casting aluminum color splice, angular, simple and generous.Frosted lamp body, fashionable atmosphere, anti-corrosion and rust-proof, milky white lamp shade, perfect integration with outdoor light, strong light transmittance, uniform luminescence.Equipped with sensors to provide light when the crowd is in close contact and automatically extinguishes when the crowd is far away, energy saving and environmental protection make your life more comfortable.





LED 13W

TEMPERATURE 2700K — 6500K

MAX. 1200 LUMENS

IP65

	Lamp	Lumen	A	B	C
GL17104	LED 13W	1200LM	256	130	176

ETL LISTED C US


Calais

17105

Start at the level of appearance and stick to the details. Calais style lamp, give smooth surface to design for curved surface, lamplight spreads to outside, the circular arc chimney with delicate circumferential space sends out downy lamplight, bring warmth for the person that evening passes.Under the sensor, is a both appearance level and can illuminate the environment, but also energy conservation and environmental protection, committed to creating more possibilities for your life.







LED 13W

TEMPERATURE 2700K — 6500K

MAX. 1200 LUMENS


IP65

	Lamp	Lumen	A	B	C
GL17105	LED 13W	1200LM	285	120	120


Broek

17106/17107

Inspiration comes from life. Broek lamps are available in two different sizes for customers to choose from.Appearance is contracted, have contemporary style extremely, install on the wall slightly tilt, the light slant shoots to the surroundings, need not worry about the harm that strong light brings to the eye, the depth blends into each scene in the life.In the dark night, a touch of light, optics and aesthetics of the soft in the night sky to form a shock of visual charm, light up your delicate life.







LED 13W

TEMPERATURE 2700K — 6500K

MAX. 1200 LUMENS

IP65

	Lamp	Lumen	A	B	C
GL17107	LED 13W	1200LM	250	138	120

C ETL LISTED US




Creole

17202

Your taste, from inside and hair, by the light and sense. Creole lamp, semi-cylindrical lamp body wrapped cylindrical wick, lines smooth and natural, simple geometric design, fully show the beauty of fashion.This lamp design is simple, strict technology, and the lamp body is half wrapped, so that the wick does not fear the wind and rain, as new.A row of wall lamp strewn at random have send, satisfy your brightness demand already, serve as adornment to promote your family savour more, satisfy a lot of demand at the same time.





LED 13W

TEMPERATURE 2700K — 6500K

MAX. 1200 LUMENS

IP65

	Lamp	Lumen	A	B	C
GL17202	LED 13W	1200LM	270	130	73

ETL LISTED C US


Breda
17203

Breda

17203


The art of light is created by heart. Breda lamps, geometric cylinder design, the lamp body can be rotated, rotated to the top or below, above or below unilateral light, rotation to the middle, both sides at the same time refraction light.It can be better applied to different environments.It also increases the interaction between customers and products.Added a joy to life.











LED 13W

TEMPERATURE 2700K — 6500K

MAX. 1200 LUMENS

IP65

	Lamp	Lumen	A	B	C
GL17203	LED 13W	1200LM	223	145	130


Cherbi


17210

Cherbi lamp, bold use geometric design, do not lose feminine in angular design, excelsior detail processing, make the lamps and lanterns more elegant gesture, unique creative style, the unique double light, to maximize your visual perception, except lighting function, more and view and admire a gender, let you have not only light but more advanced life taste.









LED 11 W

TEMPERATURE 2700K — 6500K

MAX. 2000 LUMENS

IP65

	Lamp	Lumen	A	B	C
GL17210	LED 11W	1000LM	120	200	78

Busch

17301/17302


Item number Busch , rectangular parallelepiped design, clear edges and corners, smooth and natural lines, two-way light up and down, long-distance illumination, IP65 waterproof design, no worry under the impact of rain. It is meticulous, its style is unique, and its simplicity is an extraordinary division. Add a different atmosphere to the dark night and boring walls.











	Lamp	Lumen	A	B	C
GL17301	LED 7W	600LM	162	105	105
GL17302	LED 13W	1200LM	200	105	105



Bonn

17303/17304



Bonn


17303/17304

Item number Bonn , rectangular parallelepiped design, clear edges and corners, smooth and natural lines, two-way light up and down, long-distance illumination, IP65 waterproof design, no worry under the impact of rain. It is meticulous, its style is unique, and its simplicity is an extraordinary division. Add a different atmosphere to the dark night and boring walls.









LED 11 W

TEMPERATURE 2700K — 6500K

MAX. 1200 LUMENS

IP65


	Lamp	Lumen	A	B	C
GL17303	LED 7W	600LM	162	105	105
GL17304	LED 11W	1200LM	200	105	105


Eupen
1740 Series


Eupen

1740 Series

Classic masterpiece, enjoy forever. Item Number Eupen , there are two types of lawn light and wall light. The light from this head pours out from both sides under the head, leaving only two circular beams of light and shadow, unique lighting environment, different experience.







	Lamp	Lumen	A	B	C
GL17401	LED 11W	1000LM	166	166	300
GL17402	LED 11W	1000LM	166	166	500
GL17403	LED 11W	1000LM	166	166	800
GL17404	LED 11W	1000LM	160	151	215

LED 11 W

TEMPERATURE 2700K — 6500K

MAX. 1000 LUMENS

IP65

Kinder

1750 Series




Kinder

1750 Series

Only to create unique art products. Item number Kinder. with a forward-looking design, a cylindrical lamp body, an arc-shaped lamp body above, and an entire curved light surface below the lamp body. When night falls and the lights are lit, the moment becomes bright. The theme, the hustle and bustle of everything is still at this moment, the lights illuminate everything around.





LED 13W

TEMPERATURE 2700K — 6500K

MAX. 1200 LUMENS

IP54

	Lamp	Lumen	A	B	C
GL17501	LED 13W	1200LM	121	245	300
GL17502	LED 13W	1200LM	121	245	500
GL17503	LED 13W	1200LM	121	245	800


Stein
1760 Series


Stein


1760 Series

Item Number Stein, has a three-dimensional design, a cuboid body, and a long light-emitting surface. The surrounding aluminum shell extends outward. The light extends outward through the milky plastic lampshade, highlighting the bright beauty of the light. This lamp has lawn lamp and wall lamp for customers to choose from, exquisite craftsmanship, unique design and perfect taste.









	Lamp	Lumen	A	B	C
GL17602	LED 13W	1200LM	167	500	111
GL17603	LED 13W	1200LM	167	800	111
GL17604	LED 9W	850LM	127	280	117

LED 13W

TEMPERATURE 2700K — 6500K

MAX. 1200 LUMENS

IP54



Mayen
1770 Series

Mayen

1770 Series

Mayen series lawn lamp. Unique appearance design. There are different heights for customers to choose. IP54 waterproof. It can effectively prevent the ingress of rainwater, and even illuminate the road on the ground even in bad weather conditions.





LED 13W

TEMPERATURE 2700K — 6500K

MAX. 1200 LUMENS

IP54

	Lamp	Lumen	A	B	C
GL17701	LED 13W	1200LM	230	300	159
GL17702	LED 13W	1200LM	230	500	159
GL17703	LED 13W	1200LM	230	800	159


Uren

16101/16102



There are Uren models of lighting lamps, one size is one size, the other size is for customers to choose. The bold hollow design and the rough rough lines outline a different aesthetic sense. The cube design has a milky white lampshade and a staircase shape wrapping the edges. Create a unique taste for you.





LED 20W

TEMPERATURE 2700K — 6500K

MAX. 2000 LUMENS

IP65


	Lamp	Lumen	A	B	C
GL16101	LED 20W	2000LM	251	251	270
GL16102	LED 13W	1200LM	150	150	160


Forres

16104

People oriented, careful design. Forres models of lighting, rectangular shell design, direct-cast aluminum body around the lamp body, generous and stable, hollow design in the middle, the light source shines into the incident, everything is so natural. Use creative design, decorate space, decorate life, and open a new life wisdom for you.







LED 13W

TEMPERATURE 2700K — 6500K

MAX. 1200 LUMENS

IP65

	Lamp	Lumen	A	B	C
GL16104	LED 13W	1200LM	248	132	130


Alness

16105



No best, only better. Alness models of lighting, with ultra-thin design, smooth curved lines, and large light-emitting surface design, extend from one side to the other, giving people unlimited reverie. The shape of this lamp is extremely simple and its temperament breaks the tradition, which will take you to a new realm of light and shadow.





LED 13W

TEMPERATURE 2700K — 6500K

MAX. 1200 LUMENS

IP65

	Lamp	Lumen	A	B	C
GL16105	LED 13W	1200LM	220	147	130

c ETL LISTED US


Elain

16106

Elain lighting lamps with a drop-shaped design, a white oval lampshade ring surrounds a week, dark lights are placed in it, and black and white colors alternate, creating a simple and stylish living space for you. Simplicity is not equal to simplicity. It is an extension of the design and ideas after innovation after deliberate thinking. It is not a simple "stacking" and a bland "placement". The waterdrop-like design, warm and soft light, condenses the designer Unique, beautiful and practical.







LED 13W

TEMPERATURE 2700K — 6500K

MAX. 1100 LUMENS

IP65

	Lamp	Lumen	A	B	C
GL16106	LED 13W	1100LM	169	219	70

ETL LISTED C US

Brno

1640 Series



Brno

1640 Series


Brno lights, designed with lawn lights and wall lights for customers to choose. Rectangular frame design, coarse ore aluminum profile support the whole lamp body, hard line, strong and durable.Adopt top to shine, chimney is placed in die cast piece, conceal light in lamp holder, see smooth shadow, give out light is downy. Through the aluminum support frame, the light depicts two shadows on the ground, adding a luster to the world.














	Lamp	Lumen	A	B	C
GL16401	LED 13W	1200LM	121	300	152
GL16402	LED 13W	1200LM	121	500	152
GL16403	LED 13W	1200LM	121	800	152
GL16404	LED 13W	1200LM	121	165	152

LED 13W

TEMPERATURE 2700K — 6500K

MAX. 1200 LUMENS

IP65


Melc
1650 Series


Melc


1650 Series

Now, the light condenses love.The Melc lamps are divided into lawn lamps and wall lamps. The design inspiration comes from bright diamonds. The sharp angular lines are like the cutting technology of diamonds.









	Lamp	Lumen	A	B	C
GL16501	LED 13W	1200LM	120	300	-
GL16502	LED 13W	1200LM	120	500	-
GL16503	LED 13W	1200LM	120	800	-
GL16504	LED 13W	1200LM	140	297	180

LED 13W

TEMPERATURE 2700K — 6500K

MAX. 1200 LUMENS

IP65


Houma
1660 Series


Houma

1660 Series

The Houma LED lamp has a cubic design with four small poles distributed around it, and the light source illuminates from the top of the lamp body. The height of the lamp body is different, and the light effect is also different. Customers can choose the lamp body of different height according to the installation environment.







	Lamp	Lumen	A	B	C
GL16601	LED 13W	1200LM	300	150	-
GL16602	LED 13W	1200LM	500	150	-
GL16603	LED 13W	1200LM	800	150	-
GL16604	LED 13W	1200LM	160	165	151

LED 13W

TEMPERATURE 2700K — 6500K

MAX. 1200 LUMENS

IP65


Corbie

15101



Corbie floodlights, rectangular design, lamp shade design is a bright spot, the bottom of the design into sharp edges, scattered in the night out of different light and dark light, in the quiet night light colorful color, write a light melody, fresh and do not lose gorgeous, stylish and do not lose elegant, quietly light up the world for you.





LED 10W

TEMPERATURE 2700K — 6500K

MAX. 1100 LUMENS


IP65

	Lamp	Lumen	A	B	C
GL15101	LED 10W	1100LM	240	130	64


Bains

15102

Design originates from life, and details contribute to quality. Bains lights, inspired by the moon in the night sky.The minimalist appearance design, ultra-thin light body, extremely narrow light body frame, elliptic smooth surface and smooth curve radian create a different 15102.When the night falls and the darkness covers all around, 15102 is like a bright moon, illuminating the earth and illuminating your way forward.







LED 13W

TEMPERATURE 2700K — 6500K

MAX. 1200 LUMENS


IP65

	Lamp	Lumen	A	B	C
GL15102	LED 13W	1200LM	236	121	90


Roye

15103

Roye wall lamp, using the design of ball shape, ring die-cast aluminum wrapped in opalescent plastic lampshade, perfect radian, elegant and smooth lines, super symmetrical glossy design.At night, it is like a pearl hanging in the sky, lighting up the surrounding environment and rendering a quiet atmosphere in the noisy urban environment.







LED 13W

TEMPERATURE 2700K — 6500K

MAX. 1200 LUMENS

IP65

	Lamp	Lumen	A	B	C
GL15103	LED 13W	1200LM	220	203	195


Meppen

15107

Design is the presentation of art. Meppen wall lamp breaks through the traditional lamp design. It adopts a hollow design in the middle. The narrow-edge die-cast aluminum surrounds the lampshade. The upper and lower sides emit light. Through the milky white plastic lampshade, the light is soft and not dazzling. Installed in the outdoor yard to light up the dark night.







LED 13W

TEMPERATURE 2700K — 6500K

MAX. 1200 LUMENS

IP65

	Lamp	Lumen	A	B	C
GL15107	LED 13W	1200LM	200	237	120



Minette
15108/15110
678

Minette

15108/15110

Design originates from life, and life changes due to design. Minette is the house number lamp. Simple geometric rectangular appearance, large light-emitting surface design, providing waterproof black English digital stickers for customers to use. Installed in front of the door or on the street, the number is highlighted, and the road is also illuminated. This light also has light sensor and infrared sensor for customers to choose. IP65 waterproof design, can operate normally in bad weather.





LED 13W

TEMPERATURE 2700K — 6500K

MAX. 1200 LUMENS

IP65

	Lamp	Lumen	A	B	C
GL15108	LED 13W	1200LM	160	220	74


Hagen
1540 Series

Hagen

1540 Series


Hagen lighting has wall lamps and lawn lamps for customers to choose. Lawn lights can choose different height sizes according to customers' preferences. Simple design, long strip shape, clean and neat. Large light emitting surface, double-sided light, illuminate the surrounding environment.











	Lamp	Lumen	A	B	C
GL15401	LED 10W	1100LM	56	300	152
GL15402	LED 13W	1300LM	56	500	152
GL15403	LED 13W	1300LM	56	800	120
GL15404	LED 10W	1100LM	121	284	120

LED 12.5 W

TEMPERATURE 2700K — 6500K

MAX. 1400 LUMENS

IP54


Koln
1560 Series


Koln


1560 Series

Koln of lights, simple European design, cylindrical appearance, the head adopts a slip-back shape, and the curved white plastic reflector increases the color of the light and illuminates more areas.Excellent waterproof, can also illuminate the road you travel in the wind and rain at night.









	Lamp	Lumen	A	B	C
GL15601	LED 9W	810LM	90	300	-
GL15602	LED 9W	810LM	90	500	-
GL15603	LED 9W	810LM	90	800	-
GL15604	LED 9W	810LM	156	293	121

LED 9 W

TEMPERATURE 2700K — 6500K

MAX. 810 LUMENS

IP54




Ocala

14105-14108

Enjoy the quality, cast classic. Ocala series wall lamps are available for customers to choose from.Simple European style, one - piece die-casting aluminum wrapped in ivory lampshade, lamp body downward light, installed on the wall, lamp board through the white lampshade, uniform soft, not dazzling.The lamp is also equipped with a transparent plastic board, which the customer can choose to install on the lamp body. The plastic board becomes a door lamp, which is installed in front of the door and on the street. It also has a different feeling.





LED 13W

TEMPERATURE 2700K — 6500K

MAX. 1020 LUMENS

IP54

	Lamp	Lumen	A	B	C
GL14106	LED 13W	1020LM	242	164	129

Perry

14203


Assemble the light of quality, guangyao beautiful life. Perry floodlights are designed in simple European style, with one side and two sides for customers to choose.This lamp also has different lighting effects. Customers can choose the lighting method according to their own liking and installation environment.Every night, the moment when the light comes on, it illuminates the cold city and warms your life.















	Lamp	Lumen	A	B	C
GL14203	LED 3.5W	320LM	121	177	122
GL14204	LED 7W	640LM	121	233	122



Bath

1430 Series




Benton

1430 Series

with your company, all the way bright. Benton Floodlights with simple design appearance, three sides of the lamp, ivory plastic lampshade and aluminum profile complement each other.This series of lights is also equipped with sensors, customers can choose according to their preferences, the induction lamp series.







	Lamp	Lumen	A	B	C
GL14305	LED 7W	520LM	70	300	-
GL14306	LED 7W	520LM	70	500	-
GL14307	LED 7W	520LM	70	800	-
GL14308	LED 7W	520LM	121	295	121

LED 7W

TEMPERATURE 2700K — 6500K

MAX. 520 LUMENS

IP54

Palten

1440 Series




Patten

1440 Series

Advocate green illumination, freehand brushwork wonderful life. Patten floodlights adopt simple design style, the lamp cap is opalescent plastic lampshade, the lamp is the aluminum profile of small square.The lamp is designed as An E27 ceramic lamp holder. Customers can install the energy-saving bulb themselves.In this limited energy resources, fragile natural environment at present, we should save energy, green lighting to promote scientific use of electricity, the development of circular economy.







	Lamp	Lumen	A	B	C
GL14401	LED 7W	520LM	70	300	-
GL14402	LED 7W	520LM	70	500	-
GL14403	LED 7W	520LM	70	800	-
GL14404	LED 7W	520LM	121	243	121

LED 7W

TEMPERATURE 2700K — 6500K

MAX. 520 LUMENS

IP54


Minto
1440 Series


Minto

1440 Series

Minto lighting.Lawn lamp and wall lamp series.The minimalist design, the light body USES the spray aluminum profile. IP54 waterproof design can effectively prevent rain from entering and damaging the lamp body. Ultra high quality, cast eternal classic.







	Lamp	Lumen	A	B	C
GL14405	LED 7W	520LM	70	300	300
GL14406	LED 7W	520LM	70	500	500
GL14407	LED 7W	520LM	70	800	800
GL14408	LED 7W	520LM	121	249	121

LED 7W

TEMPERATURE 2700K — 6500K

MAX. 520 LUMENS

IP54



Yeste
1450 Series

Yeste

1450 Series

Yeste lighting.The minimalist design, the light body USES the spray aluminum profile. IP54 waterproof design can effectively prevent rain from entering and damaging the lamp body. Ultra high quality, cast eternal classic.





LED 7W

TEMPERATURE 2700K — 6500K

MAX. 520 LUMENS

IP54

	Lamp	Lumen	A	B
GL14501	LED 7W	520LM	110	300
GL14502	LED 7W	520LM	110	500
GL14503	LED 7W	520LM	110	800

Cutter

1340 Series


Cutler floodlight, brief design, strong lines.There are two options of unilateral luminescence and bilateral luminescence.This lamp also has different lighting effects. Customers can choose different products according to different environmental factors and their preferences. IP54 waterproof design, can be used in severe weather conditions.











LED 7 W

TEMPERATURE 2700K — 6500K

MAX. 640 LUMENS

IP54

	Lamp	Lumen	A	B	C
GL13403	LED 3.5W	320LM	80	170	120
GL13404	LED 7W	640LM	80	208	120

Cutter

1340 Series


Cutler floodlight, brief design, strong lines.There are two options of unilateral luminescence and bilateral luminescence.This lamp also has different lighting effects. Customers can choose different products according to different environmental factors and their preferences. IP54 waterproof design, can be used in severe weather conditions.











LED 7 W

TEMPERATURE 2700K — 6500K

MAX. 640 LUMENS

IP54

	Lamp	Lumen	A	B	C
GL13405	LED 3.5W	320LM	80	170	120
GL13406	LED 7W	640LM	80	208	120


Alton
1370 Series


Alton

1370 Series

Floodlight, triangular column exterior design, transparent plastic wrap around the opalescent reflector, LED light from the top down to the reflector, reflected through the transparent lampshade. The aesthetic feeling of minimalism, thought-provoking.







	Lamp	Lumen	A	B	C
GL13701	LED 7W	520LM	110	300	-
GL13702	LED 7W	520LM	110	500	-
GL13703	LED 7W	520LM	110	800	-
GL13704	LED 7W	520LM	121	221	121

LED 7W

TEMPERATURE 2700K — 6500K

MAX. 520 LUMENS

IP54


Salem
1380 Series


Salem

1380 Series

Salem lighting.There are lawn lights and wall lights, lawn lights have different height for customers to choose.The lamp holder adopts the shape of ellipse triangle and emits light downward.IP54 waterproof design, more can stand the test of time, reliable quality.







LED 7W

TEMPERATURE 2700K — 6500K

MAX. 520 LUMENS

IP54

	Lamp	Lumen	A	B	C
GL13801	LED 7W	520LM	183	300	186
GL13802	LED 7W	520LM	183	500	186
GL13803	LED 7W	520LM	183	800	186
GL13804	LED 7W	520LM	183	75	186


Newport

1210 Serirs

Dedication and quality service. Newport lamps have unique modeling design. The lamp holder adopts hollow ring design to emit light downward. The smooth surface is hidden inside the die casting piece.This lamp comes with a different design for the customer to choose from.







	Lamp	Lumen	A	B
GL12101	LED 7W	520LM	235	300
GL12102	LED 7W	520LM	235	500
GL12103	LED 7W	520LM	235	800
GL12104	LED 7W	520LM	249	251

LED 7W

TEMPERATURE 2700K — 6500K

MAX. 520 LUMENS

IP54


Auburn

1220 Serirs

The Auburn of lighting lamps have lawn lamps and wall lamps for customers to choose from. The geometric cuboid design, the two small columns in the middle support the entire lamp head, and the hollow design in the middle, the light shines from the top, neat and clean. This lamp pole has different heights and sizes, and customers can choose products according to their own preferences.







LED 9W

TEMPERATURE 2700K — 6500K

MAX. 900 LUMENS

IP54

	Lamp	Lumen	A	B
GL12201	LED 9W	900LM	150	300
GL12202	LED 9W	900LM	150	500
GL12203	LED 9W	900LM	150	800

Harlem

1220 Serirs




Harlem

1220 Serirs

The Harlem of lighting lamps have lawn lamps and wall lamps for customers to choose from. The geometric cuboid design, the two small columns in the middle support the entire lamp head, and the hollow design in the middle, the light shines from the top, neat and clean. This lamp pole has different heights and sizes, and customers can choose products according to their own preferences.







	Lamp	Lumen	A	B	C
GL12204	LED 9W	900LM	150	500	260
GL12205	LED 9W	900LM	150	800	560
GL12206	LED 9W	900LM	153	271	218
GL12207	LED 9W	900LM	150	200	100

LED 9W

TEMPERATURE 2700K — 6500K

MAX. 900 LUMENS

IP54




Devon

12602

Gather quality light, shining a better life. Devon lighting, simple European design style, there are two sizes of one side and two sides for customers to choose. This lamp also has different light effects. Customers can choose the light output method according to their preference and installation environment. Every night, the flashing lights illuminate the cold city and warm your life.





LED 13W

TEMPERATURE 2700K — 6500K

MAX. 1200 LUMENS

IP65

	Lamp	Lumen	A	B	C
GL12602	LED 13W	1200LM	185	250	120

ETL LISTED c US




Devon

12604

Gather quality light, shining a better life. Devon lighting, simple European design style, there are two sizes of one side and two sides for customers to choose. This lamp also has different light effects. Customers can choose the light output method according to their preference and installation environment. Every night, the flashing lights illuminate the cold city and warm your life.





LED 13W

TEMPERATURE 2700K — 6500K

MAX. 1200 LUMENS

IP65

	Lamp	Lumen	A	B	C
GL12604	LED 13W	1200LM	187	250	128



Exton
1120 Serirs

Exton

1120 Serirs

Exton of lighting lamps, there are lawn lamps and wall lamps for customers to choose from, geometric triangular column design, three small columns in the middle support the entire lamp head, hollow design in the middle, the light shines from the top, clean and neat. This lamp pole has different heights and sizes, and customers can choose products according to their own preferences.





LED 9W

TEMPERATURE 2700K — 6500K

MAX. 820 LUMENS

IP54

	Lamp	Lumen	A	B
GL11201	LED 9W	820LM	125	300
GL11202	LED 9W	820LM	125	500
GL11203	LED 9W	820LM	125	800


Pender
1120 Serirs


Pender

1120 Serirs

Pender of lighting lamps, there are lawn lamps and wall lamps for customers to choose from, geometric triangular column design, three small columns in the middle support the entire lamp head, hollow design in the middle, the light shines from the top, clean and neat. This lamp pole has different heights and sizes, and customers can choose products according to their own preferences.







LED 9W

TEMPERATURE 2700K — 6500K

MAX. 820 LUMENS

IP54

	Lamp	Lumen	A	B	C
GL11204	LED 9W	820LM	125	500	260
GL11205	LED 9W	820LM	125	800	560
GL11206	LED 9W	820LM	184	231	128
GL11207	LED 9W	820LM	125	200	100



			
White *C14802*	***Grey*** *C14802*	***Black*** *C14802*	***Corten*** *C14802*

Outdoor LED Ceiling Light IP65



C14801 Black




C14802 Black

More Options:




Material:	Body Color :
Aluminium+PC	White / Black / Grey / Brown / Corten
Voltage:	**Color Temperature:**
AC 110-240V	2700-6500K

Item no.	Power	Lumen (Light source)	Dimension (W x D x H)
C14801	LED 20W	1200lm	φ220x45mm
C14802	LED 30W	2100lm	φ320x45mm











			
White *W13306*	**Grey** *W13306*	**Black** *W13306*	**Corten** *W13306*
			
White *W13307*	**Grey** *W13307*	**Black** *W13307*	**Corten** *W13307*



Outdoor LED Ceiling Light IP65



W13306 White



W13307 Black



W13256 Black



W13257 Black

Features :


- *Push-fit terminals for fast wiring*
- *Two cable entries, loop in loop out*

More Options:




Material:	Body Color :
Aluminium+PC	*White / Black / Grey / Brown / Corten*
Voltage:	**Color Temperature:**
AC 110-240V	*2700-6500K*

Item no.	Power	Lumen (Light source)	Dimension (W x D x H)
W13256	*LED 20W*	*2300lm*	*250x250x100mm*
W13257	*LED 20W*	*2300lm*	*250x250x84mm*
W13306	*LED 20W*	*2300lm*	*250x250x100mm*
W13307	*LED 20W*	*2300lm*	*250x250x84mm*









White
W13002



Grey
W13002



Corten
W13002



Black
W13002



White
W13022



Grey
W13022



Corten
W13022



Black
W13022



Outdoor LED Wall Light
IP65



W13001 Black



W13002 Black



W13021 Black



W13022 Black

Features:


- *Two cable entries, loop in loop out*
- *Push-fit terminals for fast wiring*

More Options:



Material:	Body Color :
Aluminium+Tempered Glass	*White / Black / Grey / Brown / Corten*
Voltage:	**Color Temperature:**
AC 110-240V	*2700-6500K*

Item no.	Power	Lumen (Light source)	Dimension (W x D x H)
W13001	*LED 7W*	*530lm*	*60x87x135mm*
W13002	*LED 2x6W*	*2x530lm*	*60x87x170mm*
W13021	*LED 12W*	*1000lm*	*100x122x183mm*
W13022	*LED 2x12W*	*2x1000lm*	*100x122x264mm*





CE RoHS COMPLIANT ErP SAA CB ISO 9001 BSCI



							
White *W13011*	***Grey*** *W13011*	***Corten*** *W13011*	***Black*** *W13011*	***White*** *W13012*	***Grey*** *W13012*	***Corten*** *W13012*	***Black*** *W13012*

Outdoor LED Wall Light
IP65



W13011 White



W13012 White



W13011 Black



W13012 Black

Features:

- *Two cable entries, loop in loop out*
- *Push-fit terminals for fast wiring*

More Options:



Material:	Body Color :
Aluminium+Tempered Glass	*White / Black / Grey / Brown / Corten*
Voltage:	**Color Temperature:**
AC 110-240V	*2700-6500K*

Item no.	Power	Lumen (Light source)	Dimension (W x D x H)
W13011	*LED 6W*	*530lm*	*60x87x135mm*
W13012	*LED 2x6W*	*2x530lm*	*60x87x170mm*







							
White *W13011*	***Grey*** *W13011*	***Corten*** *W13011*	***Black*** *W13011*	***White*** *W13012*	***Grey*** *W13012*	***Corten*** *W13012*	***Black*** *W13012*

Outdoor LED Wall Light
IP65



W13011 Black



W13012 Black



W13012 PIR Black



Features:


- *Two cable entries, loop in loop out*
- *Push-fit terminals for fast wiring*

More Options:



Material:	Body Color :
Aluminium+Tempered Glass	*White / Black / Grey / Brown / Corten*
Voltage:	**Color Temperature:**
AC 110-240V	*2700-6500K*

Item no.	Power	Lumen (Light source)	Dimension (W x D x H)
W13011	*LED 9W*	*760lm*	*82x91x110mm*
W13012	*LED 2x9W*	*2x760lm*	*156x91x110mm*
W13012 PIR	*LED 2x9W*	*2x760lm*	*156x91x110mm*











White
W13091 / W13092



Grey
W13091 / W13092



Black
W13091 / W13092



Corten
W13091 / W13092



White
W13093 / W13094




Grey
W13093 / W13094



Black
W13093 / W13094



Corten
W13093 / W13094



Outdoor LED Wall Light
IP65



Beam angle adjustable 0~90°



Scale display



W13091 Corten



W13092 Black



W13093 Black



W13094 Corten

Features:


- Beam angle adjustable 0-90°
- Two cable entries, loop in loop out
- Push-fit terminals for fast wiring


More Options:



Material:	Body Color :
Aluminium+Glass	White / Black / Grey / Brown / Corten
Voltage:	**Color Temperature:**
AC 110-240V	2700-6500K

Item no.	Power	Lumen (Light source)	Dimension (W x D x H)
W13091	LED 10W	2x500lm	69x73x170mm
W13092	LED 20W	2x1000lm	120x100x230mm
W13093	LED 10W	2x500lm	69x97x170mm
W13094	LED 20W	2100lm	120x141x230mm





CE RoHS COMPLIANT ErP SAA CB ISO BSCI





White
W13171




Chrome
W13171



SST
W13171



Black
W13171



Outdoor LED Wall Light
IP54



W13171 White



W13171 Black

Features:


- *Two cable entries, loop in loop out*
- *Push-fit terminals for fast wiring*

More Options:



Material:	Body Color :
Aluminium+ Tempered Glass	*White / Black / Grey / Brown / Corten*
Voltage:	**Color Temperature:**
AC 110-240V	*2700-6500K*

Item no.	Power	Lumen (Light source)	Dimension (W x D x H)
W13171	*LED 10W*	*2x620lm*	*100x132x100mm*









White
W13311



Grey
W13311



Black
W13311



Corten
W13311

White
W13312



Grey
W13312



Black
W13312



Corten
W13312



Outdoor LED Wall Light
IP65



W13311 Black


W13312 White

More Options:



Material:	Body Color :
Aluminium+PC	White / Black / Grey / Brown / Corten
Voltage:	**Color Temperature:**
AC 110-240V	2700-6500K


Item no.	Power	Lumen (Light source)	Dimension (W x D x H)
W13311	LED 2x5W	2x500lm	160x64x180mm
W13312	LED 2x5W	2x500lm	160x64x170mm



IP65 IK06 COB Ra >80 SDCM <6 on/off >12500 25000h 3 YEAR

CE RoHS COMPLIANT ErP SAA CB ISO BSCI



					
White *W13151*	***Grey*** *W13151*	***Black*** *W13151*	***White*** *W13152*	***Grey*** *W13152*	***Black*** *W13152*



Outdoor LED Wall Light
IP54



W13151



W13152

Features:

- Two cable entries, loop in loop out
- Push-fit terminals for fast wiring

More Options:



Material:	Body Color :
Aluminium+PC	White / Black / Grey / Brown / Corten
Voltage:	**Color Temperature:**
AC 110-240V	2700-6500K

Item no.	Power	Lumen (Light source)	Dimension (W x D x H)
W13151	LED 7W	690lm	200x80x90mm
W13152	LED 12W	1320lm	300x100x120mm









					
White	**Black**	**White**	**Black**	**White**	**Black**
W13231	*W13231*	*W13232*	*W13232*	*W13233*	*W13233*



Outdoor LED Wall Light
IP65



W13231



W13232




W13233

More Options:



Material:	Body Color :
Aluminium+Tempered Glass	White / Black / Grey / Brown / Corten
Voltage:	**Color Temperature:**
AC 110-240V	2700-6500K

Item no.	Power	Lumen (Light source)	Dimension (W x D x H)
W13231	LED 2x3W	2x400lm	115x30x90mm
W13232	LED 2x5W	2x530lm	175x30x90mm
W13233	LED 2x12W	2x1500lm	270x30x90mm





CE RoHS COMPLIANT ErP SAA CB ISO BSCI





White
W13212



Dark Brown
W13212



Grey
W13212



Black
W13212



White
W13214




Dark Brown
W13214



Grey
W13214



Black
W13214



Outdoor LED Wall Light
IP65



W13212



W13214



W13216




W13215

More Options:



Material:	Body Color :
Aluminium+Tempered Glass	White / Black / Grey / Brown / Corten
Voltage:	**Color Temperature:**
AC 110-240V	2700-6500K

Item no.	Power	Lumen (Light source)	Dimension (W x D x H)
W13211	LED 3W	360lm	115x30x76.5mm
W13212	LED 2x3W	2x360lm	115x30x90mm
W13213	LED 7W	600lm	175x30x76.5mm
W13214	LED 2x6W	2x600lm	175x30x90mm
W13215	LED 2x12W	2x1240lm	280x35x90mm
W13216	LED 2x9W	2x1000lm	220x35x90mm











White
W13212



Dark Brown
W13212



Grey
W13212



Black
W13212



White
W13232



Dark Brown
W13233



Grey
W13233



Black
W13233



Outdoor LED Wall Light
IP65



W13331



W13332

More Options:



Material:	Body Color :
Aluminium+PC	White / Black / Grey / Brown / Corten
Voltage:	**Color Temperature:**
AC 110-240V	2700-6500K

Item no.	Power	Lumen (Light source)	Dimension (W x D x H)
W13331	LED 4x1W	400lm	117x37x80mm
W13332	LED 6x1W	600lm	170x41x80mm













White
W13161



Black
W13161



White
W13164




Black
W13164



Outdoor LED Garden Light
IP54



W13161 White



W13161 Black



B13164 White



B13164 Black

Features:


- *Push-fit terminals for fast wiring*
- *Two cable entries, loop in loop out*

More Options:



Material:	Body Color:
Aluminium+Tempered Glass	*White / Black / Grey / Brown / Corten*
Voltage:	**Color Temperature:**
AC 110-240V	*2700-6500K*

Item no.	Power	Lumen (Light source)	Dimension (W x D x H)
W13161	*LED 9W*	*920lm*	*140x110x76mm*
B13162	*LED 9W*	*920lm*	*140x76x450mm*
B13163	*LED 9W*	*920lm*	*140x76x650mm*
B13164	*LED 9W*	*920lm*	*140x76x800mm*











White
W13251



Grey
W13251



Black
W130251



Corten
W13251



White
W13252



Grey
W13252



Black
W13252



Corten
W13252



Outdoor LED Wall Light
IP65



W13251



W13252



W13253

Features:


- *Push-fit terminals for fast wiring*
- *Two cable entries, loop in loop out*

More Options:




Material:	Body Color:
Aluminium+PC	*White / Black / Grey / Brown / Corten*
Voltage:	**Color Temperature:**
AC 110-240V	*2700-6500K*

Item no.	Power	Lumen (Light source)	Dimension (W x D x H)
W13251	*LED 12W*	*1550lm*	*240x145x100mm*
W13252	*LED12W*	*1550lm*	*240x145x100mm*
W13253	*LED 12W*	*1550lm*	*240x145x100mm*











White
W13301



Grey
W13301



Corten
W13301



Black
W13301



White
W13302



Grey
W13302




Corten
W13302



Black
W13302



Outdoor LED Wall Light
IP65



W13301



W13302



W13303



PC cover

Features :


- *Push-fit terminals for fast wiring*
- *Two cable entries, loop in loop out*

More Options:



Material:	Body Color :
Aluminium+PC	*White / Black / Grey / Brown / Corten*
Voltage:	**Color Temperature:**
AC 110-240V	*2700-6500K*

Item no.	Power	Lumen (Light source)	Dimension (W x D x H)
W13301	*LED 12W*	*1550lm*	*240x145x100mm*
W13302	*LED12W*	*1550lm*	*240x145x100mm*
W13303	*LED 12W*	*1550lm*	*240x145x100mm*









					
White *W13254*	**Grey** *W13254*	**Corten** *W13254*	**Black** *W130254*	**White** *W13255*	**Grey** *W13255*
					
Corten *W13255*	**Black** *W13255*	**White** *W13305*	**Grey** *W13305*	**Corten** *W13305*	**Black** *W13305*



Outdoor LED Wall Light
IP65



W13254



W13304



W13255



W13305

Features :


- *Push-fit terminals for fast wiring*
- *Two cable entries, loop in loop out*

More Options:



Material:	Body Color :
Aluminium+PC	*White / Black / Grey / Brown / Corten*
Voltage:	**Color Temperature:**
AC 110-240V	*2700-6500K*

Item no.	Power	Lumen (Light source)	Dimension (W x D x H)
W13254	*LED 12W*	*1550lm*	*240x145x100mm*
W13255	*LED12W*	*1550lm*	*240x145x84mm*
W13304	*LED 12W*	*1550lm*	*240x145x100mm*
W13305	*LED 12W*	*1550lm*	*240x145x84mm*











White
W13141



Grey
W13141



Brown
W13141



Black
W13141



White
W13142




Grey
W13142



Brown
W13142



Black
W13142



Outdoor LED Wall Light
IP65



W13141



W13142



W13143



W13144




More Options:



Material:	Body Color :
Aluminium+PC	White / Black / Grey / Brown / Corten
Voltage:	**Color Temperature:**
AC 110-240V	2700-6500K

Item no.	Power	Lumen (Light source)	Dimension (W x D x H)
W13141	LED 7W	620lm	φ135x45mm
W13142	LED 9W	1145lm	φ180x45mm
W13143	LED 18W	1950lm	φ230x55mm
W13144	LED 30W	3400lm	φ300x76mm



IP65 IK06 SMD Ra >80 SDCM <6 on/off >12500 25000h 3 YEAR

CE RoHS COMPLIANT ErP SAA CB ISO 9001 BSCI