

38th Anniversary
Challenge to Next 39 Years

DESIGN AWARD

reddot design award

2027
Indoor & Outdoor
Lighting Collection

Home Resource Ind. Co., Ltd.
Taipei Headquarter:
14F, No. 7, Dexing W. Rd., Shilin Dist., Taipei City , Taiwan
Zhongshan Factory: Area 1,3rd floor, no.28 Yuquan road, Torch development Zone, Zhongshan City, Guangdong, China
Ningbo Factory: Qiaotouhu Industrial Park, Ninghai, Ningbo, China
Tel: 886-2-2809-1212 (Rep. 16 Lines) Fax: 886-2-2808-1565
E-mail: hr@homeresource.com.tw http://www.homeresource.com.tw

BSCI
DBID: 18865

ISO 9001

Home Resource Ind. Co., Ltd.

Home Resource LEDS The World



Our Vision

To Illuminate every part of the world

Our Mission

- To be the leading lighting company in Taiwan and China
- To be the best at what customers value most
- To exceed customers expectation
- Treat staffs & customers & substructures as partnership
- Enjoy work as part of life

Our Core Competence


- Integrity
- Innovation
- Profession
- Passion
- Efficiency
- Responsibility
- Teamwork

WHO

WE ARE

Home Resource has 38 years in exterior & interior lights market,We are uniquely positioned to offer the right solutions and value for your LED lighting requirements with our holistic approach and vertically integrated infrastructure.







Taipei



Zhongshan



Ningbo

OUR

HISTORY TIMELINE

- 2025 Relocated our headquarters to Taipei, Taiwan
- 2021 **Winner of the iF Design Award, Germany**
- 2017 Received The Best Innovation Award of Taiwan Lighting Association
- 2015 Received National Excellent Lighting Quality Award in Japan
- 2013 Awarded the BSCI certification
- 2010 Established New Factory in Zhongshan (Guangdong)
  Established the Research & Development Center
- 2008 **Red Dot Design Award, Germany**
  Good Design Product, Taiwan
- 2007 Awarded as one of the best "ISO 9001:2000" companies listed as members of KEMA organization
- 2006 Acquired 26,000 square meters land in Zhongshan City, Guangdong
- 2005 Received National Quality Award in Taiwan
- 2004 President Sam Chen was being the Chairman of Taiwan Lighting Association (2004-2007)
- 2003 Awarded from TUVPS as one of the TOP 5 Golden Clients in Asia
  Founded the scholarships in Longung Elementary School in Taichung City, Taiwan
- 1999 Established Home Resource in Qinxi, Dongguan (Guangdong)
  Awarded the ISO 9001:2000 certification
- 1998 Established Charitable Memorial Foundation of caring for the elderly
- 1997 Established Home Resource Golf Team
- 1996 Received Excellent Quality Award, Spain
- 1995 HR being the 1st Taiwanese company in receipt of SEMKO, NEMKO, and DEMKO Certificates
- 1992 Established Home Resource in Shanghai/Ningbo
- 1988 Established Home Resource Ind. Co., Ltd. in Taiwan

DESIGN AWARDS



▪ Good Design Product of Taiwan



▪ Red Dot Award of Germany



L: Sam Chen
(President of Home Resource Co.)
R: Alfred Albrecht, TUVPS
(GS Testing & Certification)

- **Awarded from TUVPS as one of the Top 5 golden clients in Asia (2003)**



L: Sam Chen
(President of Home Resource Co.)
R: P.K. Chiang
(Minister of Economic Department Taiwan)

- **Being as Chairman of Taiwan Lighting Association in 2004**



L: Jack Chen, Former President of HR/GR
R: Representative of Senior Group

- **Award from Senior Group Towards Annual Charity Donation**



- **David Chen, the general manager of Home Resource, received 2008 innovation award for mushroom lamp in Frankfurt fair.**

Safety Approval: CE, GS, CUL, ETL



GS Certificate

CUL, ETL Certificate



CE Certificate

More than 60 patents...



Organizational Structure



Sales Team


Shipping & Financial


Production Line

Show Room


Exterior Garden Light


Exterior Wall Light


Novelty Light & Mood Light

In-House Lab


Integrator Machine Set


Salt Spary Test Machine (To test Anti-corrosion status of metal material)


LED Aging Test Machine (Mainly use to test High Power LED)


LED Luminous Intensity Meter (To test the bright of LED)


IP Tester


Temperature Meter

INDEX

CORDLESS ----------01~14
- Cordless Portable Lighting
- Fabric Table Lamp

DECORATIVE ----------15~24
- Decorative Table Lamp
- Decorative Pendant
- Decorative Wall Lamp
- Decorative Floor Lamp

3CCT COMMERCIAL ----------25~29
- EFT
- Panel Light
- Bulkhead Light
- Floodlight

GARDEN ----------30~48
- GU10 Version Wall / Path Light
- E27 Version Wall / Path Light
- LED Version Wall / Path Light

SOLAR ----------49~67
- Solar Wall Light
- Solar Wall / Path Light

Cordless





































Decorative
















































3CCT Commercial

Garden


PROMOTION
EL-472
PROMOTION
EL-472-2
PROMOTION
EL-473
PROMOTION
EL-473-2
PROMOTION
EL-498
PROMOTION
EL-498-2
Hot Sale
ELED-782
Hot Sale
ELED-782
Hot Sale
ELED-225
Hot Sale
GPLED-225
Hot Sale
EL-476-2
Hot Sale
EL-476S-2
Hot Sale
EL-476-B
Hot Sale
EL-476S
Hot Sale
GPL-476
Hot Sale
EL-1140A
Hot Sale
EL-1140A-3
Hot Sale
EL-709
EL-709S
ELED-228
ELED-228S
ELED-228-2
ELED-228S-2
EL-488
EL-488-B
GPL-488
EL-485
EL-485S
GPL-485
EL-489
EL-489S
GPL-489

Solar


NEW
SOL-1019
NEW
SOL-1008
NEW
SOL-1020A
NEW
SOL-1020B
NEW
SOL-1018
NEW
SOL-1010
NEW
SOL-1012
NEW
SOL-925
NEW
SOL-1013
NEW
SOL-1015
NEW
SOL-1017
NEW
SOL-1021
NEW
SOL-1022
NEW
SOL-1023
Hot Sale
SOL-615
Hot Sale
SOL-616
Hot Sale
SOL-655S
Hot Sale
SOL-623S
Hot Sale
SOL-623S-B
Hot Sale
SOL-626S
Hot Sale
SOL-626S-B
Hot Sale
SOL-627A/SOL-627B
Hot Sale
SOL-622S-A
Hot Sale
SOL-622GPS-A
Hot Sale
SOL-622S-B
Hot Sale
SOL-622GPS-B
SOL-633S
SOL-633GPS
SOL-658S
SOL-658GPS
SOL-700
SOL-700GP
SOL-699-A
SOL-699GP-A
SOL-699-B
SOL-699GP-B

CORDLESS PORTABLE LIGHTING



Material: ABS
Battery: 3.7V 2000mAh
Power: 2W
Charging time: 5H
Working time: 8-48H
Product Size: 165x165x225mm



● ETLED-894



Rechargeable Night Light

3CCT/Dimming/Hanging

PROMOTION

Material: PC
Model: 3CCT + Dimming
Battery capacity: 1200 mAh
Power: 2W
Charging time: 2-3H
Working time: 6-7H
Product size: 89x89x105mm



Touch 3CCT and Dimming



Hanging Handle





● ETLED-908




NEW

Iron Portable Table Lamp

Replaceable Battery

Material: Iron + ABS
Battery: 3.7V 2000mAh
Power: 1W
Charging time: 5H
Working time: 8-48H
Product Size: 140x140x200mm




● ETLED-895





Material: Iron + ABS
Battery: 3.7V 2000mAh
Power: 1W
Charging time: 5H
Working time: 8-48H
Product Size: 115x115x200mm





● ETLED-901



Material: Iron
Battery: 3.7V 2000mAh
Power: 2W
Charging time: 5H
Working time: 8-48H

Color Available:





● ETLED-S900/S900A ● ETLED-900/900A ● ETLED-M900/M900A



NEW

Fabric Portable Table Lamp
Replaceable Battery

Material: Fabric + Iron
(Marble-Effect Water Transfer Finish)
Battery: 3.7V 2000mAh
Power: 2W
Charging time: 5H
Working time: 8-48H
Product Size: 180x180x274mm





● ETLED-896



NEW

Fabric Portable Table Lamp
Replaceable Battery

Material: Iron
(Marble-Effect Water Transfer Finish)
Battery: 3.7V 2000mAh
Power: 2W
Charging time: 5H
Working time: 8-48H
Product Size: 180x180x274mm



● ETLED-897



NEW

Decorative Fabric Table Lamp Series Travertine Effect/Ceramic





Solar Outdoor Cordless Lamp with Magnetic Rotatable Head IP44



● ETLED-930
Material: Travertine + Fabric
Light Source: 4W
Battery: 8000mAh



● ETLED-892
Material: Travertine + Fabric
Light Source: 3W
Battery: 2000mAh
Product Size:175x245mm



● ETLED-893
Material: Ceramic + Fabric
Light Source: 2W
Battery: 1800mAh
Product Size:380x390mm

Material: Iron
Watts: 4W
Voltage: 5V
Battery capacity: 1800mAH
Charging time: 3H
Working time: 3-4H
IP44



● ETLED-898/SOL-898
(Rechargeable / Solar Version)






Solar panel

Rechargeable LED Mood Light



Material: matel+PC cover+PP Plate
Surfacetreatment: electroplating
LED: 24pcs SMD 2835
Battery: Li-ion 18650 3.7V 1200mAh
Power: 2.5W
Lumens: 100-110LM
Charger Port: Type C, USB wire
CRI: 70
The brightness LightingTime: 1.5H
The medium Lighting Time: 3.2H





● ETLED-53C (Cade)

2 in 1 Indoor / Outdoor Rechargeable Table Lamp IP44



FEATURE:
1. Easy control
2. Competitive pirce
3. small package:
27000pcs in 20' container
57000pcs in 40' container

Material: PP+Metal
LED module: 150LM/Touch Switch
Battery: 1x1200mAh 18650
Charging time: 3hrs
Working time: 3-5hrs
IP44



● ETLED-658C





2 in 1 Indoor / Outdoor Rechargeable Table Lamp IP44

FEATURE:
1. Nordic Design, easy control
2. Competitive price
3. small package:
27000pcs in 20' container
57000pcs in 40' container



Cordless Dimmable Table Lamp with Fabric Shade

Material: Metal+PC
LED module: 150LM/Touch Switch
Battery: 1x1200/1500/2000mAh 18650
Charging time: 3 hrs
Working time: 3-5 hrs
IP44



● ETLED-658



White Black Green Pink Gray Blue

Material: Steel+PP
Light bulb: E14 LED filament bulb 5V 2W 3000K
Power: 3.7V 1500mAH 18650
Function: dimming function 20%-50%-100%
Charging time: 4 hours
Working hours: 7-32 hours
Color: Gold/Black
With 1.5M USB cable



More shades available



● ETLED-615



● ETLED-613



KD Design

Rechargeable Wall Light

Replaceable Battery

Material: Iron + Alum + ABS + acrylic
Input power :LED 2.5W
Lamp bead type: SMD 2835
Color temperature:3000K-4000K-6000K
Battery: Li-Po 4000mAh (removeable battery)
With Remote Controller



● WLED-847A

DECORATIVE RANGE



NEW

Decorative
E27 Wood Lamp Series

Material: Iron + Wood
Light Source: E27 15W (bulb excl.)



● HG-858
Product Size: 350x1200mm



● WLK-858
Product Size:284x142x200mm



● DF-858
Product Size:160x440mm



● FLK-858
Product Size:300x1440mm



NEW

Decorative
E27 Travertine Lamp Series

Material: Travertine
Light Source: E27 15W (bulb excl.)
220-240V



● HG-891
Product Size:120x130mm



● WLK-891
Product Size:120x200x160mm



● ETLED-891
Material: Travertine
Light Source: 4W
Battery: 8000mAh



● FLK-891
Product Size:250x1520mm



NEW

Decorative
E27 Travertine Lamp Series

Material: Travertine
Light Source: E27 (bulb excl.)




● HG-887
Product Size:150x500mm



● WLK-887
Product Size:150x200mm



● WLK-887B
Product Size:150x500mm



NEW

Decorative
Bulb Travertine Pendant Light



● HG-884
Material: Travertine
Light Source: G9 (bulb excl.)
Product Size:120x150mm



● HG-883
Material: Travertine
Light Source: E27 (bulb excl.)
Product Size:150x220mm



Material: Iron
Light Source: E27 (bulb excl.)



● HG-875
Product Size:130x230mm



● HG-870
Product Size:130x230mm



● HG-871
Product Size:120x265mm



Material: Iron
Light Source: E27 (bulb excl.)



● HG-872
Product Size:170x440mm



● HG-873
Product Size:220x180mm



● HG-884
Product Size:190x125mm







● WLED-861
Material: Travertine
Light Source: LED
Product Size:250x50mm




● WLED-862
Material: Travertine
Light Source: LED
Product Size:250x90mm



● HGLED-850
Material: Iran
Light Source: LED
Product Size:600x180mm

Material: Iron
Light Source: E27 x 1 (bulb excl.)




● WLK-851





Material : Iron + Glass
Light Source: E27 x 2 (bulb excl.)



● WLK-893







Material : Iron + Glass
Light Source: E14 (bulb excl.)



● WLK-892



3CCT
COMMERCIAL RANGE

PHILIPS

OEM FACTORY
600 x 600 Panel Light

Hot Selling



Material: Iron Frame+ Iron Body with PP Film
Input Voltage: 220-240V
Luminous Efficacy: 120lm/W
Power: 36W
Color Temp: 2700/4000/5000/6500K
IP20
Isolate driver
Warranty: 3 years

Model No.	Wattage(W)	Lumen(lm)	CCT	Size(mm)
PALED-6060PM-36W	36W	4320lm	2700/4000/5000/6500K	L595xW595xH28mm





Material : PC
AC220-240
CCT: 3000K / 4000K / 6000K
Power: 10W / 15W / 20W
130LM/W
PF>0.9
Ra>80
Product Size: 600x76x69mm



● EFT-238



Quick Wiring



Slide Switch

	Watts	Lumen	Product Size
ALED-142A	10W	900lm	L155xW80xH52mm
	18W	1800lm	L198xW98xH52mm
	24W	2400lm	L250xW120xH52mm
ALED-142B	10W	900lm	D155xH52mm
	18W	1800lm	D175xH52mm
	24W	2400lm	D220xH52mm



● ALED-142A




● ALED-142B



3CCT
LED Flood Light

Material: Afuminum+Glass
Input: AC220-240
Luminous Efficacy(lm/W): 100lm/W
CRI> 80 PF>0.9
IP65
3CCT





ITEM	Watts	Size(MM)
FLED-819-10W	10W	L105xW74xH28mm
FLED-819-20W	20W	L125xW103xH28mm
FLED-819-30W	30W	L155xW155xH31mm
FLED-819-50W	50W	L189xW168xH31mm
FLED-819-100W	100W	L275xW228xH31mm



3CCT
LED Panel Light

Material: PP + PC
Light Source: LED 12W
Lumen: 1080lm
AC 220-240V
PF>0.5, RA>80



● DLED-484
Product Size: Φ175x34mm




● DLED-485
Product Size: 173x173x34mm

Exterior Garden

Garden Wall/Path Light





Premium Version



● ELED-795
Aluminum
220-240V-50/60Hz
LED 6W
IP65



Economy Version



● ELED-987
ABS
220-240V-50/60Hz
LED 4W
IP54






NEW

Outdoor
Rotatable LED Wall Light
IP54 / IP65





● ELED-991
Material: Aluminium
Light Source: LED 10W
IP65





● ELED-802A
Material: Die cast Aluminium
Light Source: LED 3W
IP54






● ELED-802B
Material: Die cast Aluminium
Light Source: LED 3W
IP54

NEW

Outdoor
Bulb Wall Light
IP44

Material: Stainless Steel
Light Source: S14d Bulb 6W
220-240V
IP44



● EL-847










● EL-802
Material: Steel + Glass
Light Source: E27 60W
IP44



● EL-803
Material: Steel + Glass
Light Source: E27 60Wx2
IP44



● EL-804
Material: Steel + Glass
Light Source: E27 60Wx2
IP44

Material: Aluminum
Light Source: E27 T30 10W
IP44



● EL-739



● GPL-739



Outdoor
E27 Wall & Path Light
IP44

NEW

Material: Stainless Steel
Light Source: E27 10W
IP44



● EL-801
Product Size:150x180x278mm



● GPL-801
Product Size:150x110x315mm




Outdoor
GU10 Wall & Path Light
IP44

NEW

Material: Aluminium
Light Source: GU10 10W
IP44



● EL-855




● GPL-855



Outdoor
LED Wall Light
IP44

NEW

Material: Steel
Light Source: LED 12Wx2
AC110-270V
IP44



● ELED-902






Outdoor
LED Wall & Path Light
IP54

NEW

Material: Die cast Aluminium
Light Source: LED 12W
220-240V
IP54





● ELED-900





● GPLED-900






EL-472 Series

● EL-472
Lamp: GU10 Max.8W





● EL-472-2
Lamp: 2xGU10 Max.8W






EL-473 Series

● EL-473
Lamp: GU10 Max.8W





● EL-473-2
Lamp: 2xGU10 Max.8W





EL-498 Series

● EL-498
Lamp: GU10 Max.8W





● EL-498-2
Lamp: 2xGU10 Max.8W





Material: Die case Aluminium body
Special color finished+opal PC diffuser
LED 6.5W
IP65



● ELED-782



● ELED-782-2



Material: Aluminum body + Clear PC Diffuser
220-240V 50-60Hz
LED Max.8W
Color: Black
IP54



● ELED-225



● GPLED-225





Material: Die Cast Aluminium Opal PC
Input: 220~240V/50-60Hz
Watt: GU10 LED 7W
IP44



● EL-476-2



● EL-476-B



● EL-476S-2



● EL-476S



● GPL-476

Outdoor
E27 Wall Light
IP44

Hot Selling



Outdoor
E27 Wall Light
IP44



Single Design






●EL-1140A
Material: Aluminum-Die Cast + PC
Lamp: E27 max. 1 x 60W Bulb(Excl.)
Finish: Black

Triple Design



●EL-1140A-3
Material: Aluminum-Die Cast + PC
Lamp: E27 max. 3 x 60W Bulb(Excl.)
Finish: Black



Material: Die Cast Alumiium Body, Reeded Glass
LED Power: E27 LED 20W
IP44



● EL-709



● EL-709S



Outdoor
Rotatable LED Wall Light
IP65



Outdoor
E27 Wall & Path Light
IP44

Material: Aluminum body +Opal PC Diffuser
220-240V
Color: black
IP65





● ELED-228
LED 6.5W









● ELED-228S
LED 6.5W



● ELED-228-2
LED 11.8W



● ELED-228S-2
LED 11.8W

Material: Aluminum body +Opal Glass Diffuser
Without E27 20W bulb
Color: black
IP44





● EL-488





● EL-488-B



● GPL-488



Outdoor
E27 Wall & Path Light
IP54

Material: Stainless steel+Alu+PC diffuser
110-240V
Without E27 MAX: 15W bulb
Color: black
IP54





● EL-485S
With sensor



● GPL-485



Outdoor
E27 Wall & Path Light
IP44

Material: Aluminum body + Clear Glass Diffuser
220-240V 50-60Hz
Without E27 Max.28W bulb
Color: black
IP44



● EL-489



● EL-489S
With sensor




● GPL-489

EXTERIOR SOLAR

Solar Wall & Path Light




Material: Aluminium + Glass
IP44





● SOL-1019
Battery: 3.7V 1800mAh
Solar Panel: 1.8W
Lumen: 45lm






● SOL-1008
Battery: 3.7V 1200mAh
Solar Panel: 0.45W
Lumen: 35lm




Material: PC + ABS
Battery: 3.7V 2000mAh
Light Source: 6W
Solar Panel: 2.3W
Lumen: 600lm
IP54








● SOL-1020A




● SOL-1020B



Material: Aluminium + PC
Battery: 3.7V 1800mAh
Solar Panel: 2.1W
Lumen: 600lm
IP54





● SOL-1018







● SOL-1010
Material: ABS
Battery: 3.7V 2000mAl
Solar Panel: 1.6W
Lumen: 1000lm
IP44



● SOL-1012
Material: ABS
Battery: 3.7V 2400mAh
Solar Panel: 2.5W
Lumen: 1200lm
IP44



● SOL-925
Material: ABS
Battery: 3.7V 1800mAh
Solar Panel: 1.5W
Lumen: 84lm
IP65



● SOL-1013
Material: ABS
Battery: 3.7V 1800mAh
Solar Panel: 1.6W
Lumen: 300lm
IP65




Material: ABS
Battery: 3.7V 1200mAh
Solar Panel: 2W
Lumen: 1200lm
IP54





● SOL-1015



Material: Aluminium
Battery: 3.7V 1200mAh
Solar Panel: 0.85W
Lumen: 170lm
IP54






● SOL-1017




Material: ABS + PC
Battery: 3.7V 1200mAh
Solar Panel: 0.8W
Lumen: 60lm
IP44




● SOL-1021



● SOL-1022



● SOL-1023



Material: ABS+PP
LED 0.2W,1PCS SMD2835
3000K/6000K
Solar panel: amorphous
Battery: 600mA NI-MH
Lighting time: 8-10H
Charging time: 6H
IP44



● SOL-615
10LM

● SOL-616
20LM





Material: PA6+glass
LED: 3W 14pcs SMD2835 white light
Solar panel: monocrystalline silicon 5V 1W
Battery: 3.7V1800mAh 18650
Lithium battery control mode:
light control + power switch PIR function
Sensing distance: 5M
Beam Angle: 120°
Charging time: 8 hours
Light on time: light on for 2 hours (each trigger work for 30 seconds can transmit more than 200 times),
dark light for 12 hours
Brightness: Bright 300lm, dark 50lm
Color: black
IP44



● SOL-655S







Material: Plastic
Solar Panel: 5V, 200mA
18*0.5W 2835SMD LED 3000K
1*3.7V 2000mAh Li-ion battery
With Motion Sensor:
Detection range: 5-8m
Detection scope: 100¡ã
Lighting duration: 45s for each detection
Color: black
IP44







● SOL-623S



● SOL-623S-B

Outdoor Solar Plastic Wall Light With Motion Sensor IP44

Hot Selling



Material: Aluminium cover,clear plastic body and diffuser
8x0.5W 2835 SMD LED 3000K
1x3.7V 18650 1300mAh Li-ion battery
With Motion Sensor:
-Detective distance: 5-8m
-Detective angle: 90°
-Detective time: 30s for one time,
max lumen output is 60lm in high setting,
steable in low setting is 15lm
Working time: 8h after battery
fully charged while in low setting
Color: black/Stainless steel
IP44







● SOL-626S



● SOL-626S-B

Outdoor Solar Plastic Wall Light IP44


Hot Selling




Plastic housing, clear plastic diffuser
SOL-627A: 6xSMD2835 0.5W LED (2700-6500K)
SOL-627B: 8xSMD2835 0.5W LED (2700-6500K)
1x3.7V 1300mAh Li-ion battery
Solar Panel:
SOL-627A: 5V, 150mA
SOL-627B: 5V, 250mA
IP44







● SOL-627A



● SOL-627B



Material: plastic
Solar Panel: 4.5V,300mA
18x0.5W 2835SMD LED,3000K
500LM(without diffuser while detection)
1x3.7V 2200mAh 18650 Li-ion rechargeable battery
Time: 45S±5S for each detection,
totally 80times after battery's fully recharged
Moving motion sensor
Distance: 6-8m
Angle: 90degree
Color: black
IP44



● SOL-622S-B



● SOL-622S-A



● SOL-622GPS-B



● SOL-622GPS-A



Material: plastic
Solar Panel: 4.5V,300mA
18x0.5W 2835SMD LED,3000K
500LM(without diffuser while detection)
1x3.7V 2200mAh 18650 Li-ion rechargeable battery
Time: 45S±5S for each detection,
totally 80times after battery's fully recharged
Moving motion sensor
Distance: 6-8m
Angle: 90degree
Color: black
IP44





● SOL-633GPS



● SOL-633S




Outdoor Solar Plastic Wall & Path Light With Motion Sensor IP44

Plastic housing, stainless steel tube, opal plastic diffuser
40xSMD2835 0.2W LED (2700-6500K)
1x3.7V 2200mAh Li-ion battery
Solar Panel: 5V, 300mA
IP44
With Motion Sensor:
Detection range: 5-8m
Detection scope: 100 degree
Lighting duration: 40s for each detection









● SOL-658S ● SOL-658GPS



Solar E27 Wall & Path Light IP54

Material: aluminum+stainless stee+PC
Solar Panel: monocrystalline 0.7W
Battery: Li-ion 18650 3.7V 1200mAh
E27 lamp bulb A60 3V
Switch: On/off
Charge time: 7-8 hours
Life time: AUTO 8-9 hours after full charge
AUTO 23 LM
Color: black
IP54





● SOL-700



● SOL-700GP

Solar LED Wall&Path Light IP44




Material: aluminum
Solar Panel: monocrystalline 0.55W
Battery: Li-ion 18650 3.7V
1200mAh
LED: 6x2835 SMD LED
Switch: On/off
Charge time: 8 hours
Life time: AUTO 7-9 hours after full charge
AUTO 22 LM
Color: black
IP44




● SOL-699-A

● SOL-699-B



● SOL-699GP-A



● SOL-699GP-B

Adjustable Beam Solar Wall Light and Post Light




Material: Aluminum Shell; ABS+PC Body
Solar Panel: Monocrystalline Solar Panel
CCT: 3CCT
LED: SMD3030
CRI: Ra>70
Battery: 18650 3.7V 1800mAh
Microwave Sensor: 3 Modes
Power: 3W
IP65





● SOL-897S



● SOL-897GPS

Notes

Home Resource Ind. Co., Ltd.

Home Resource LEDS The World